



SAFETY DATA SHEET

Buster Plughole Sanitiser Granules

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Buster Plughole Sanitiser Granules
Product No. 00113/04
Container size 200g, 300g

Relevant identified uses of the substance or mixture and uses advised against

Application Cleaning agent.
Uses advised against Not to be used in any other way than instructed on product packaging.

Details of the supplier of the safety data sheet

Supplier Challs International Ltd.
 Unit 46
 Lady Lane Industrial Estate
 Hadleigh
 Suffolk
 IP7 6BQ
 +44 01473 828700
 +44 01473 828701
 sales@challs.com

Manufacturer Primo Manufacturing Ltd
 Hadleigh
 Suffolk
 IP7 6BQ
 +44 01473 820999
 sales@primo.mfg.co.uk

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Ox. Sol. 2 - H272
Health hazards Acute Tox. 4 - H302 Eye Dam. 1 - H318
Environmental hazards Not Classified

Label elements

Hazard pictograms



Signal word

DANGER

Buster Plughole Sanitiser Granules

Hazard statements	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H318 Causes serious eye damage.
Precautionary statements	P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking. P220 Keep away from combustible materials. P221 Take any precaution to avoid mixing with combustibles. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P330 Rinse mouth. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Sodium Percarbonate

SECTION 3: Composition and information on ingredients

Mixtures

Sodium Percarbonate CAS number: 15630-89-4	60-100%
Classification Ox. Sol. 2 - H272 Acute Tox. 4 - H302 Eye Dam. 1 - H318	
Trisodium Phosphate (Surfac TSP Crystals) CAS number: 10101-89-0	5-10%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention immediately.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water or use an approved skin cleanser. Get medical attention if irritation persists after washing.

Buster Plughole Sanitiser Granules

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards May intensify fire; oxidiser. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Hazchem Code 1Y

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Collect spillage with a shovel and broom, or similar and reuse, if possible. When handling waste, the safety precautions applying to handling of the product should be considered. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. For waste disposal, see Section 13.

Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions Read label before use. Handle all packages and containers carefully to minimise spills. Avoid generation and spreading of dust. Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls and personal protection

Exposure controls

Buster Plughole Sanitiser Granules

Protective equipment



Eye/face protection

Wear tight-fitting, dust-resistant, chemical splash goggles if airborne dust is generated.

Hand protection

Wear protective gloves.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash promptly with soap and water if skin becomes contaminated. Take off contaminated clothing and wash it before reuse.

Respiratory protection

Wear a suitable dust mask.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Granules.
Colour	White/off-white. & Green.
Odour	Eucalyptus.
pH	pH (diluted solution): 9 - 11 10% soln
Solubility(ies)	Slightly soluble in water.

SECTION 10: Stability and reactivity

Reactivity	May intensify fire; oxidiser. May react with the following materials: Acids.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable when stored in a dry place.
Possibility of hazardous reactions	Acids.
Conditions to avoid	Avoid heat, flames and other sources of ignition.
Materials to avoid	Acids.
Hazardous decomposition products	Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO ₂).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 560.19

Inhalation Dust may irritate the respiratory system.

Ingestion This product is corrosive. May cause chemical burns in mouth, oesophagus and stomach.

Skin Contact This product is corrosive. Causes burns.

Buster Plughole Sanitiser Granules

Eye contact This product is corrosive. Causes serious eye damage.

SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment if discharged into watercourses.

Toxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

Persistence and degradability

Biodegradation Expected to be readily biodegradable.

Bioaccumulative potential

Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating.

Mobility in soil

Mobility The product contains substances which are water-soluble and may spread in water systems.

Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

UN number

UN No. (ADG) 1479

UN No. (IMDG) 1479

UN No. (ICAO) 1479

UN proper shipping name

Proper shipping name (ADG) OXIDIZING SOLID, N.O.S. (CONTAINS Sodium Percarbonate)

Proper shipping name (IMDG) OXIDIZING SOLID, N.O.S. (CONTAINS Sodium Percarbonate)

Proper shipping name (ICAO) OXIDIZING SOLID, N.O.S. (CONTAINS Sodium Percarbonate)

Transport hazard class(es)

ADG class 5.1

ADG classification code O2

ADG label 5.1

IMDG class 5.1

ICAO class/division 5.1

Buster Plughole Sanitiser Granules

Transport labels



Packing group

ADG packing group	II
IMDG packing group	II
ICAO packing group	II

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

EmS	F-A, S-Q
Hazchem Code	1Y

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended). Dangerous Substances and Explosive Atmospheres Regulations 2002. EH40/2005 Workplace exposure limits. Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40.

SECTION 16: Any other relevant information

Revision date	5/10/2020
Revision	6.0
Supersedes date	7/06/2020
SDS No.	5296
Hazard statements in full	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.